


Accessories suitable for

TV 95-SL



Accessories



📌 Perforated screens for Separator S 95

Description	No.
Separator S 95	66990
Perforated screens for separator S 95	auf Anfrage
Paper filter PFM40	66498
Refractometer	14578
Grinding media and compounds you will find on page 64 - 68	

Spare parts



📌 47705

Description	No.
Filterfleece to PFM40	66404
Drive belts	47705
Pump ASM 60/120 to TV 95-SL, PFM40	70027
Grinding media and compounds you will find on page 64 - 68	

TV 15-SL | 40-SL | 100-SL | 200-SL |
350-SL | 500-SL | 500-SL Long | 1000-SL



Accessories



📌 66498

Description	No.
Separator S 95 to TV15-40	66990
Separator S 60	67702
Separator S 180	on request
Perforated screens for separator S 95	on request
Perforated screens for separator S 180	on request
Paper filter PFM40	66498
Mounting set connection to PFM40 on TV 15-SL TV 40-SL	72026
Automatic paper filter PFA120	69786
Automatic paper filter PFA180	68168
Flowmeter 0,2-5l/min	73133
Mounting set connection to PFA120 180 on TV 100-SL TV 200-SL	73973
Refractometer	14578
Grinding media and compounds you will find on page 64 - 68	

Accessories suitable for

All Slide/Vibratory grinding machines | Centrifugal plants


Ceramics grinding tools

Type	Grinding performance	Grinding pattern							
			Triangle (TRI)	Triangle angle cut (A/C TRI)	Tristar (A/C T/S)	Cylinder (CYL)	Cylinder angle cut (A/C CYL)		
WXC									
MAC									
Z									
F			4 x 4 6 x 6 8 x 8	4 x 10 6 x 12, 10 x 15		2,5 x 5 3 x 10		3 x 10 4 x 11	
PI			10 x 10 13 x 13 16 x 16 20 x 20	10 x 20, 13 x 26 15 x 15, 15 x 30	4 x 4 x 5 6 x 6 x 6 10 x 10 x 10 20 x 20 x 20	6 x 7 6 x 14 7 x 13 10 x 19 20 x 40		6 x 10 6 x 14 7 x 15 8 x 20 10 x 20 15 x 25	
BA			26 x 26 30 x 30	25 x 25, 33 x 23					
WV									
FSG									
DK									
MHS							1,7 x 5, 2,5 x 8, 3 x 10, 4 x 14		
MHC									
GP			4 x 4, 6 x 6, 8 x 6, 8 x 8, 10 x 10			1,7 x 5, 2,5 x 8, 3 x 10, 4 x 6, 4 x 10, 4 x 14		4 x 10 6 x 14	


*other sizes and qualities on request

Accessories suitable for


All Slide/Vibratory grinding machines | Centrifugal plants




Ellipse (ELI)




Quinto (QUI)




Star (STE)



Pyramid (PYR)



Arrowhead (PFG)



Rhombus (RHO)



Sphere (KUG)

14 x 14 x 5
20 x 20 x 8

10 (13 x 10)
15 (18 x 15)
25 (28 x 25)
30 (33 x 30)
35 (38 x 35)

22 x 10 x 8
35 x 17 x 12
40 x 20 x 15

15
25
35
45

14 x 14
19 x 19
24 x 24

50 x 30 x 30

6

4, 6, 8

14 x 14 x 5
20 x 20 x 8

















4, 6, 8

*other sizes and qualities on request

Accessories suitable for

All Slide/Vibratory grinding machines | Centrifugal plants

Plastic grinding tools

Type	Grinding performance	Grinding pattern	Colour	 Pyramid (PYR)	 Wedge (PQ)	 Tristar (TRI)
HSC			dark grey	10, 15, 20, 25, 30, 40		22, 32, 42
HDC			rosa			
ET			dark green		11 (11 x 16)	
SP			dark red	10, 15, 20, 25, 30, 40, 50, 60		22, 32, 42, 52
NG			blue	10, 15, 20		
XS			light brown	10, 15, 20, 25, 30, 40, 50, 60		22, 32, 42, 52
HDM				10, 15, 20, 25, 30, 40		22, 32, 42
V 2030 - NC			light red	10, 15, 20, 25, 30, 40, 50, 60	11 (11 x 16)	22, 32, 42, 52
HDP				10		22, 32, 42
AF				10, 15, 20, 25, 30, 40, 50, 60		22, 32, 42, 52
CX			rosa			
PP			white	15		


*other sizes and qualities on request

Accessories suitable for


All Slide/Vibratory grinding machines | Centrifugal plants




Cone (KEG)




Paraboloid (PA)




Kite (DRAE)



Kite (DRAR)



Lens (LIN)



Nipple (NIP)

8, 12, 16, 19, 24, 29, 39, 49, 59	28 (28 x 16 x 28) 41 (41 x 23 x 41) 51 (51 x 27 x 51) 61 (61 x 33 x 61)				
8, 12, 16, 19, 24, 29, 39	28 (28 x 16 x 28) 41 (41 x 23 x 41)				
8, 12, 16, 19, 24, 29, 39, 49, 59	28 (28 x 16 x 28) 41 (41 x 23 x 41) 51 (51 x 27 x 51)	63 (63 x 32 x 22)	75 (75 x 61 x 37)		
8, 12, 16, 19	28 (28 x 16 x 28)				
8, 12, 16, 19, 24, 29, 39, 49, 59	28 (28 x 16 x 28) 41 (41 x 23 x 41) 51 (51 x 27 x 51)	63 (63 x 32 x 22)	75 (75 x 61 x 37)		
8, 12, 16, 19, 24, 29, 39	28 (28 x 16 x 28) 41 (41 x 23 x 41)				
8, 12, 16, 19, 24, 29, 39, 49, 59	28 (28 x 16 x 28) 41 (41 x 23 x 41) 51 (51 x 27 x 51)	63 (63 x 32 x 22)	75 (75 x 61 x 37)	14	
8, 12, 16, 19	28 (28 x 16 x 28) 41 (41 x 23 x 41)				
8, 12, 16, 19, 24, 29, 39, 49, 59	28 (28 x 16 x 28) 41 (41 x 23 x 41) 51 (51 x 27 x 51)	63 (63 x 32 x 22)	75 (75 x 61 x 37)		53 (40 x 51), 62 (50 x 60)

Accessories suitable for

All Slide/Vibratory grinding machines | Centrifugal plants | Rotary dryer



Dry- and polishing media

	Corn cob granules				Crushed nut shells		
	Gran 2	Gran 3	Gran 4	Gran 6	Nuss 1	Nuss 4	Nuss 5
pH Range	neutral	neutral	neutral	neutral	neutral	neutral	neutral
Grain size	0,50 - 1,18 mm	0,75 - 1,60 mm	1,18 - 3,15 mm	3,15 - 4,50 mm	0,20 - 0,45 mm	1,70 - 2,40 mm	2,40 - 4,00 mm
Characteristics							
Drying effect	++	++	++	++	+	+	+
Polishing effect	+	+	+	+	++	++	++

Compounds (liquid)

	Flow-Trough processing mode	Recycling mode				Pickling and ball burnishing	
	KH 65	DE 97	KR50	KFL	SGK	KP12	FMV
Farbe	violett	yellow	blue	yellow	yellow	light yellow	yellow
pH Range	slightly alkaline	alkaline	alkaline	slightly alkaline	alkaline	acidic	acidic
Water hardness ° dH	10 - 15	10 - 15	10 - 15	10 - 15	alle Bereiche	-	-
Characteristics							
Corrosion protection	++	++	++	+	+	-	-
Cleaning	+	+	+	+	++	+	++
Degreasing	0	++	+	++	++	++	++
Brightening	+	+	+	++	+	++	++
Foam	+	+	0	+	0	+	++
Pickling effect	-	-	-	-	-	+	+
Werkstoffe							
Steel, Stainless steel, non-ferrous metals, Ceramics, Plastics	++	++	++	++	++	++	++
Aluminium	-	-	-	-	-	++	++
Silver	-	-	-	-	-	++	-
Remarks		Degreasing compound	Very good corrosion protection	Universally usable	Good corrosion protection on non-ferrous metals		Smoothing and polishing of automotive wheels

* ++ = Very good suitability (high) | + = Good suitability (medium) | 0 = Limited suitability (low) | - = No suitability (none)

** more compounds on request